Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.43





1937
WHOLESALE TRADE LIST

Ferndale Nursery

Askov, Minnesota

TO THE TRADE

To our many customers and friends in the Nursery trade we extend greetings. We appreciate the favors you have shown us in the past and shall endeavor to merit your confidence in the years to come.

TERMS-

To customers who are known to us, or who can furnish satisfactory references, we will ship stock on 30 days credit, unless other terms have been agreed upon. Persons unknown to us or with whom we have had no credit dealings must give trade references and allow sufficient time for investigation. To insure prompt shipment of rush orders, persons unknown to us should send money order to cover cost of stock and packing. Two per cent discount allowed on all orders accompanied with cash in full.

PACKING-

Prices quoted in this catalog **DO NOT INCLUDE PACKING AND BOXING.** This service will be charged for at actual cost of labor and material used.

C. O. D. SHIPMENTS-

Orders for stock to be shipped C. O. D. must be accompanied with 25% of the amount of the order.

PARCEL POST SHIPMENTS—

Cash with orders to be forwarded by parcel post MUST be accompanied with sufficient cash to cover parcel post charges, otherwise stock will be shipped by express.

SHIPPING INSTRUCTIONS—

We prefer to have customers give explicit shipping instructions as to how stock is to be forwarded—freight, express or parcel post. Where method of forwarding is not specified or is left to us, we shall use our best judgment as to safest and cheapest method.

PRICES-

Prices and terms set forth in this catalog are intended for THE TRADE only and are subject to change without notice. Please use printed letterhead when ordering. Orders from parties not entitled to wholesale list will not be filled at prices herein stated.

ORDERS-

All orders are accepted with the understanding that same shall be void should any injury befall our stock through frost, hail, drouth, or any other cause beyond our control.

INSPECTION-

The stock of the Ferndale Nursery has been duly inspected by an authorized State Inspector, and found free from injurious disease and insect pests. Certificate of such inspection will accompany all shipments.

GUARANTEE-

We guarantee all stock to be true to name and in good condition when it leaves our grounds. We exercise every possible care to have all plants and trees true to name and will, upon proper proof, replace free of charge or refund full purchase price of any tree or plant sent out by us that may prove untrue to label.

We do not guarantee stock to live and no allowance will be made for stock which fails to live after planting.

CLAIMS----

All claims for shortage and unsatisfactory stock MUST BE MADE WITHIN TEN DAYS from date of delivery. Claims for shortage, damage or delay in transit should be made to transportation company when stock is called for at freight or express depot.

REFERENCES-

R. G. Dunn Co.
Florist's Credit Association, Inc.
First National Bank, Sandstone, Minnesota.
American Association of Nurserymen.
Minnesota Nurserymen's Association.

Special Notice

Our spring season for handling of evergreens is usually of very short duration. During a brief period of a few weeks we are called upon to move several thousand B&B trees which requires careful planning of work schedule. To assist us operating on an efficient basis we are obliged to ask that orders for B&B trees to be picked up by truck, be in our hands at least two days before truck calls for same.

Telephone Orders

Call Ferndale Nursery, 43-M, ASKOV, MINN.

Telephone orders will be received up to 10 o'clock p. m. every day in the week including Sundays and such orders will be given "special handling" the following morning.

We have established a reputation for quick service and aim to maintain the reputation.

TRUCK DELIVERY—

We are prepared to deliver by truck within any reasonable distance. Our charge for this service will be on a mileage basis and will be found to be very reasonable on full truck loads. For distances under 300 miles, the cost of truck delivery in full loads will usually be less than freight charges plus boxing expense.



Evergreen Seed Beds

Evergreens

Healthy Northern Minnesota Grown Stock

Seedlings and Transplanted.

Due to heat and drouth which destroyed large numbers of our lining out evergreens, we have only small quantities to offer. Orders are accepted only with the understanding that stock is available. We shall notify customers promptly as to any item ordered which we shall be unable to supply.

O indicates seedlings; X once transplanted; XX twice transplanted.

Seedlings not sold in less quantities than 50 of one size and variety. Transplants not less than 25 of one size and variety.

| | 100 | 1000 |
|--|-------|---------|
| CONCOLOR FIR (Abies Concolor) | | |
| 2—4 in. O\$ | 2.00 | \$15.00 |
| DOUGLAS FIR (Pseudotsuga) | | |
| 3—-5 in. O | 2.00 | 15.00 |
| 4—6 in. X | 6.00 | 50.00 |
| 6—8 in. X | 7.00 | 60.00 |
| 8—12 in. X | 8.00 | 70.00 |
| JUNIPER VIRGINIANA (Red Cedar) | | |
| 2—4 in. O | 2.25 | 18.00 |
| 4—6 in. O | 3.00 | 25.00 |
| PICEA CANADENSE ALBA (White Spruce) | | |
| 6—8 in. X | 6.00 | 50.00 |
| 8—12 in. X | 7.00 | |
| PICEA CANADENSE ALBERTIANA (Black Hill Spruce) | | |
| 2—4 in. O | 2.50 | 20.00 |
| 4—6 in. X | 6.00 | 50.00 |
| | 7.50 | 65.00 |
| | 30.00 | |
| 2—3 ft. XX | 40.00 | |

| 1937 Ferndale Nursery—Askov, Minnesota | 5 |
|--|---|
| 100 | 1000 |
| PICEA EXCELSA (Norway Spruce) | 40.00 |
| 6—8 in. X | $\begin{array}{c} 40.00 \\ 50.00 \end{array}$ |
| 812 in. X | 100.00 |
| PICEA EXCELSA BOREALIS (Polar Spruce) | |
| 2—4 in. O | 15.00 |
| 6—8 in. X 6.00 | 50.00 |
| 8—12 in. X 8.00 | 70.00 |
| PICEA PUNGENS (Colorado Spruce) | |
| From seed from blue trees only. | 95.00 |
| 3—5 in. O | $\begin{array}{c} 25.00 \\ 50.00 \end{array}$ |
| 6—8 in X | 70.00 |
| PINUS MONT. MUGHI (Mugho Pine) | |
| (True dwarf type.) | • |
| 2—4 in. O 3.00 | 25.00 |
| 4-6 in X 6.50 | 55.00 |
| 6—8 in. X | $\begin{array}{c} \textbf{70.00} \\ \textbf{85.00} \end{array}$ |
| PINUS AUSTRIACA NIGRA (Austrian Pine) | 00.00 |
| 2—4 in. O 2.00 | 15.00 |
| PINUS MURRAYANA (Lodgepole Pine) | 10.00 |
| 2—4 in. O | 15.00 |
| PINUS RESINOSA (Norway Pine) | 10.00 |
| 2—4 in. O | 15.00 |
| PINUS SYLVESTRIS (Scotch Pine) | 10.00 |
| 2—4 in. O 2.00 | 15.00 |
| 50 seedlings, 25 transplants at 100 rate: 500 at 1 | .000 rate. |
| | _ |
| Evergreens From Roote | d |
| | |
| Cuttings | |
| | |
| From pots or open field. Potted stock can b | e packed |
| with earth ball on roots if desired. Field grown s been grown one or two years in open field. | stock has |

| P—indicates stock from pots. F. G.—indicates field grown stock. | | |
|--|------|---------|
| | 25 | 100 |
| JUNIPER SABINA (Savin Juniper) | | |
| 4—6 in. P\$ | 3.00 | \$10.00 |
| JUNIPER SABINA HORIZONTALIS (Bar Harbor) | | |
| 4—6 in. P | 3.00 | 10.00 |
| 6—8 in. F. G | 3.50 | 12.00 |
| 8—12 in. F. G | 4.00 | 14.00 |
| JUNIPER DOUGLAS WAUKEGAN (Waukegan Juniper) | | |
| 4—6 in. P | 3.00 | 10.00 |
| JUNIPER CHINENSIS PFITZERIANA (Pfitzer Juniper) | | |
| 4—6 in. P | 3.50 | 12.00 |
| JUNIPER SUECCIA (Swedish Juniper) | | |
| 4—6 in. P | 3.00 | 10.00 |
| 8—12 in. F. G | 3.50 | 12.00 |
| THUYA OCCI. GLOBOSA (Globe Arbor Vitae) | | |
| 6—8 in. F. G | 3.50 | 12.00 |
| THUYA OCCI. DOUGLAS GOLDEN (Golden | | |
| Arbor Vitae) | | |
| 6—8 in. Ý. G | 3.50 | 12.00 |
| 8—12 in. F. G | 4.00 | 14.00 |
| THUYA OCCI. PYRAMIDALIS (Pyramidal | | |
| Arbor Vitae) | | |
| 6—8 in. F. G | 3.50 | 12.00 |
| 8—12 in. F. G | 4.00 | 14.00 |
| | | |



Colorado Blue Spruce

Kosters Blue Spruce

Staked and at least 3 times transplanted. Trees have been given corrective pruning and only specimens of good shape will be shipped out. Carefully dug with solid earth ball on roots and packed to reach customer in perfect condition.

| | | | | | | | | | | | | | | | | Ī | Each |
|-------|------|-----|------|---|------|------|--|------|--|--|--|----|--|--|--|---|--------|
| 12-15 | in., | В&В | | ٠ | | | | | | | | | | | | | \$1.50 |
| 15—18 | in., | В&В | | | | | | | | | | | | | | | 1.75 |
| 18-21 | in., | B&B | | | | | | | | | | | | | | | 2.25 |
| 21-24 | in., | В&В | | | | | | | | | | ٠. | | | | | 3.00 |
| 2430 | in., | B&B | | | | | | | | | | | | | | | 3.75 |
| 3036 | in | B&B | | | | | | | | | | | | | | | 4.50 |





Black Hill Spruce

Evergreens

SPECIMEN TREES, BALLED AND BURLAPPED

We list these trees in two grades. The "Specimen" grade are compact, symmetrical and branched to the ground. We select only the finest trees for this grade. The "Choice" grade are healthy, good quality stock. They may be less compact or not evenly developed on all sides. They are branched to the ground and for many purposes will be just as desirable as the "Specimen" trees. No cripples or thrashy stock will be shipped out under any circumstances. All trees will be carefully dug with solid earth ball on roots and earth ball securely wrapped in burlap and tied with heavy twine.

DISCOUNTS—On orders for 5 to 9 trees of one size and variety, 5% discount will be allowed. On orders for ten or more trees of one size and variety a 10% discount will be allowed.

Carloads: For prices on full carloads shipped in bulk write for special prices.

Truckloads Delivered: We are equipped to make truck delivery to any point in Minnesota or Wisconsin. Will gladly submit delivered price on full truck loads.

| ABIES BALSAMEA (Balsam Fir). See note DOUGLAS FIR (Pseudotsuga) | | |
|---|----------|---------------------|
| The heat and drouth of last summer did great damage to Balsam and Douglas Fir- Most of our stock of these two varieties | , } | |
| is quite unsalable. However, we can supply limited quantities of undamaged stock in either variety. Send us a list of your | • | |
| needs and we shall be glad to quote prices on such stock as we may be able to supply JUNIPER DOUGLAS WAUKEGAN (Wauke- | • | |
| gan Juniper) | Each | |
| 20—24 in. spread | \$ 1.50 | |
| 24—30 in. spread | 0.00 | |
| JUNIPER PFITZERIANA (Pfitzers Juniper) | 4 05 | |
| 20—24 in. spread | 1 00 | |
| 30—36 in. spread | 2 = 2 | |
| JUNIPER SABINA (Savin Juniper) | 2.00 | |
| 12—16 in. spread | | |
| 20-24 in. spread | 1.00 | |
| 24—30 in. spread | 0.00 | |
| JUNIPER SABINA HORIZONTALIS (Bar | r | |
| Harbor Juniper) 12—16 in. spread | | |
| 16—20 in. spread | 4 00 | |
| JUNIPER COMMUNIS DEPRESSA PLUMOSA | | |
| (Andorra Juniper) 12—16 in. spread | .50 | |
| 16-20 in. spread | 75 | |
| 24—30 in. spread | . 1.50 | |
| 30—36 in. spread | . 2.00 | |
| Beautiful sheared specimen trees of pyra | - | |
| midal type. 30—36 in | . 1.50 | |
| 3—4 ft | . 1.75 | |
| 4—5 ft | | |
| | Specimen | Choice |
| PICEA CANADENSE ALBA (White Spruce) | . 1.00 | .75 |
| <u>4</u> —5 ft | . 1.50 | .90 1.25 |
| 6—7 ft | . 3.00 | 1.75 |
| 7—8 ft | | 2.25 |
| Hill Spruce) | | |
| 24—30 in | 4 0 0 | .50 |
| 36—42 in | | .75 .90 |
| 4—5 ft | . 2.00 | $1.25 \\ 1.50$ |
| 5—6 ft | 0.00 | 1.75 |
| PICEA PUNGENS GLAUCA (Blue Colorade Spruce) | O | |
| 16—20 in | | .75 |
| 20—24 in | 2.25 | $1.00 \\ 1.25$ |
| 30—36 in | | $\frac{1.60}{1.90}$ |
| 42—48 in | . 3.75 | $\frac{2.25}{2.75}$ |
| 5—6 ft | . 5.50 | 3.25 |
| 6—7 ft | | 4.00 5.00 |
| | | |



Douglas Fir.

| S | pecimen | Choice |
|--|---|--|
| PICEA PUNGENS (Shaded Blue-Green Colorado Spruce) | | |
| 18—24 in. 24—30 in. 30—36 in. 36—42 in. 42—48 in. 4—5 ft. 5—6 ft. 6—7 ft. 7—8 ft. | $\begin{array}{c} \textbf{.75} \\ \textbf{1.25} \\ \textbf{1.50} \\ \textbf{2.00} \\ \textbf{2.50} \\ \textbf{3.00} \\ \textbf{3.50} \\ \textbf{4.50} \\ \textbf{5.50} \end{array}$ | .50 .75 1.00 1.25 1.50 1.75 2.00 2.50 3.00 |
| PICEA PUNGENS (Green Colorado Spruce) Green or with slightly blue tinge. | ~ . | 4.00 |
| 18—24 in. 24—30 in. 30—36 in. 36—42 in. 42—48 in. 4—5 ft. 5—6 ft. 6—7 ft. 7—8 ft. PINUS MONTANA MUGHUS (Mugho Pine) | .50 $.75$ 1.00 1.50 2.00 2.50 3.50 4.50 | .40 .50 .65 .90 1.25 1.50 2.00 2.50 |
| 12—18 in. spread | $egin{array}{c} .60 \\ 1.00 \\ 1.50 \\ 2.00 \\ 3.00 \\ \end{array}$ | |

Specimen Choice

| ρ, | becimen | Choice |
|--|--------------|---|
| PINUS AUSTRIACA NIGRA (Austrian Pine) | | |
| | 2.00 | 1.25 |
| 4—5 ft | 2.50 | 1.7 5 |
| Dim of | | |
| PINUS RESINOSA (Norway Pine) | 1.50 | .90 |
| 3—4 ft | 2.00 | 1.2 5 |
| 4—5 ft | 2.50 | 1.75 |
| 6—8 ft | 3.5 0 | 2.25 |
| PINUS SYLVESTRIS (Scotch Pine) | | |
| | 3.50 | 2.25 |
| | | |
| PINUS STROBUS (White Pine) | | |
| For Minnesota trade only. Prices same | | |
| as Norway Pine. | | |
| THUYA OCCIDENTALIS (American Arbor | | |
| Vitae)—Offered in sheared and unsheared | | |
| stook The sheared trees are peauliful | | |
| specimen trees of symmetrical form, dense- | | |
| in compact and branched to the ground. | | |
| The unsheared trees are heavy and bushy, | | |
| branched evenly on all sides but more open than sheared stock. | | |
| than sheared stock. | eared un | sheared |
| | 1.25 | |
| 30—36 in | 1.75 | |
| 4—5 ft | 2.50 | 1.50 |
| 5—6 ft | 3.00 | 1.75 |
| 6—7 ft | 4.00 | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ |
| 7—8 ft | | 4.50 |
| THUYA OCCIDENTALIS GLOBOSA (Am. | | |
| Globe Arbor Vitae) | | |
| 12—16 in | .50 | |
| 16—20 in | .75 | |
| 20—24 in | 1.25 | |
| 24—30 in | 1.50 | |
| THUYA OCCIDENTALIS WAREANA SIBERICA | L | |
| (Siberian Arbor Vitae) | | |
| 12—16 in | .50 | |
| 16—20 in | .75 | |
| 20—24 in | 1.00 | |
| THUYA OCCIDENTALIS PYRAMIDALIS | | |
| (Pyramidal Arbor Vitae) | | |
| 20—24 in | .75 | |
| 24—30 in | 1.00 | |
| 30—36 in | 1.25 | |
| 36-42 in | 1.75 | |
| | 2.50 | |
| TSUGA CANADENSE (Hemlock) | | |
| 12—18 in | .50 | |
| 18—24 in | .75 | |
| 24—30 in | 1.00 | |

Colorado Blue Spruce

Visiting nurserymen comment on the excellent color of our blue spruce. Undoubtedly this is due to the composition of our soil. We feel confident that you will be perfectly satisfied with our Colorados. For your particular trade try our Northern Grown Evergreens.

Landscapers Attention

In addition to the specimen evergreens listed, we are in position to supply in limited numbers. Pines, Spruce and Arbor Vitae in sizes up to 12 to 15 feet. We can also supply heavy crowned American Elm and Silver Maple for special planting jobs. We invite correspondence on your needs in this line.

HARDY FERNS



Hardy ferns still maintain their popularity for general planting. For shade or sun—for bog or dry hillside. For woodland, fernbed, took garden, border or foundation planting there are suitable hardy ferns to be obtained.

Our list include 25 varieties which experience has proven to be well adapted and easily grown under cultivation.

Dormant roots can be shipped until the middle of June.


Letters following common name of fern indicated adaptability of variety to growing conditions. R. indicates adaptability for rock garden; B. for bog or wet locations; S. for shady places; O. for open sun. Varieties well adapted for foundation plantings are so indicated.


GROUP 1

| GROUP 1 | 10 | 400 |
|---|---------------------------|-----------------------------|
| RS—AMERICAN MAIDENHAIR—Foundation. | 10 | 100 |
| Adiantum pedatum, 8—12 in\$ | .80 | \$ 6.00 |
| S—CHRISTMAS FERN— Polystichum acrosticoides, 12—30 in | 1.00 | 8.00 |
| SB—CINNAMON FERN— Osmundo cinnamomea, 2—4 ft | .80 | 6.00 |
| S—CLINTONS WOOD FERN—Moist Locations Dryopteris Clintoniana, 1—2 ft | •.80 | 6.00 |
| SB—CRESTED WOOD FERN— Dryopteris cristata, 10—15 in | 1.00 | 8.00 |
| RO—HAYSCENTED FERN—Foundation Dennestedtia punctiloba, 12—18 in | 1.00 | 8.00 |
| RO—INTERRUPTED FERN—Foundation Osmundo Claytoniana, 2—4 ft | 1.00 | 8.00 |
| RS—LADY FERN—Foundation Athyrium felix faemina, 1—3 ft | .80 | 6.00 |
| RS—LEATHERY WOOD FERN—Foundation Dryopteris marginale, 12—30 in | 1.00 | 8.00 |
| B—MARSH FERN— | 1.00 | |
| Dryopteris thelepteris, 6—12 in RS—OSTRICH FERN—Foundation | .80 | 6.00 |
| Pteris nodulosa, 2—4 ft | .80 | 6.00 |
| RO—POLYPODIUM COMMON— Polypodium vulgare, 4—6 in | .80 | 6.00 |
| SB—ROYAL FERN— Osmundo regalis, 2—3 ft | 1.20 | 10.00 |
| RB—SENSITIVE FERN—Foundation | | |
| Onoclea sensibilis, 6—18 in | .80 | 6.00 |
| Dryopteris spinulosa, 1—3 ft | 1.00 | 8.00 |
| Dryopteris hexagonoptera, 2—4 in | .80 | 6.00 |
| GROUP 2 | 10 | Each |
| RS—BRITTLE BLADDER FERN— Cystopteris bulbifera, 4—6 in\$ | | \$.25 |
| RS—MAIDENHAIR SPLEENWORT— Asplenium tricomanus, 2—6 in | 2.50 | .30 |
| RO—WALKING LEAF FERN Camptosoris rhizophyllus, 2—3 in | 2.00 | .25 |
| R—RUSTY WOODSIA— | | |
| Woodsia ilvensis, 2—5 in | 2.50 | .30 |
| Woodsia obtusa, 2—8 in | 2.00 | .25 |
| R—EBONY SPLEENWORT— Asplenium platyneuron, 2—6 in | 2.00 | .25 |
| R—GRAPE FERN— | 2.00 | o.e. |
| Botrychum obliqum RS—BEECH FERN— | 2.00 | .25 |
| Phegopteris hexagonopteris, 8—12 in RS—SILVERY SPLEENWORT— | 2.00 | .25 |
| Numerals following botanical name indicat plant may be expected to attain, depending culture. | 1.50 e heigh g on s | .20 at which soil and |
| Curcuro | | |

Introductory Assortment

To introduce our Ferns we offer, 20 Ostrich, 20 Lady, 10 Osmundas, 10 Evergreen, 10 Maidenhair, and 10 Sensitive, or any combination of 80 Ferns in six varieties, except Royal, selected from group 1 for \$5.00 cash, packing free. These are all standard varieties that will give universal satisfaction under ordinary conditions. The assortment packed for shipment will average 80 lbs. and can be safely shipped by freight up to April 1st.






Hardy Fern Collections in Cartons

We can supply hardy ferns packed in peat moss in cartons of five ferns consisting of 2 Ostrich, 2 Lady and 1 American Maidenhair fern, with cultural directions printed on label. A very convenient and clean method of handling ferns over the retail counter. Sample carton mailed prepaid for 60c.

| 12 | cartons | (60 | ferns) | ٠ | | | | | ٠ | ٠ | . 5 | 7.00 |
|-----|---------|-------|--------|---|--|--|--|--|---|---|-----|-------|
| 25 | cartons | (125) | ferns) | | | | | | | | | 13.00 |
| 100 | cartons | (500 | ferns) | | | | | | | | | 48.00 |





Ostrich Fern

Fern Bed Collections

These collections will be shipped direct to your customer

These collections will be shipped direct to your customer under your own shipping tags.

If you have no special agreement with us, send \$4.00 with each order for full collection, \$2.50 for half collection, include your shipping tags correctly addressed. We will then ship ferns prepaid direct to your customer and return to you the difference between net wholesale price of \$2.50 or \$1.35 respectively, plus transportation charges. Order desired assortment by number, follow shipping instructions and we will do the rest. and we will do the rest.

| No. 1. 2 October 10 Today 4 Occounds and 9 | Retail Price | Whole-sale |
|---|-----------------|------------|
| No. 1—8 Ostrich, 10 Lady, 4 Osmunda and 2 Evergreen Ferns for general planting | \$5.00 | \$2.50 |
| NO 1—A—8 Ostrich, 8 Lady, 4 Sensitive and 4 Evergreen Ferns. Suitable for gen- | | |
| eral planting | 5.00 | 2.50 |
| No. 2—For dry shady places; 6 Leathery Wood, 8 Lady, 6 Hayscented and 4 | | |
| Interrupted Ferns | 5.00 | 2.50 |
| No. 3—For moist shady places; 4 Maidenhair, 8 Evergreen, 4 Ostrich, 4 Cinnamon and 4 Lady Ferns | 5.00 | 2.50 |
| No. 4—For wet locations; 8 Sensitive, 6 Clintons wood, 3 Royal, 3 Cinnamon, 4 | | |
| Marsh Shield Ferns | 5.00 | 2.50 |
| ONE HALF of any of above collections, postage to be added | 2.60 | 1.35 |

Shredded Peat Moss

Practically the same as peat moss imported from Holland except not quite so dry. Excellent for mulching and to mix with soil for acid loving plants such as ferns, arbutus, bearberry, gentians and many others. Also excellent to mix with heavy soil to prevent baking and packing and to hold moisture. moisture.

100 lb. sacks \$1.50, or 50 lb. sacks for \$1.00. be shipped by freight. 100 lb.

Alpine and Rock Plants

Achillea, ageratum and tomentosum.

Actea, all var. Allium thibethica. Allysum, all var. Anemone, all var. Aquilegia, alpine and Cana-

dense.

Arabis, alpina. Arenaria. Armeria

Artemesia, frigida and sil-

ver king.

Asarum, canadensis.

Asperula.

Aster, alpina. Aubritia.

Calamintha alpina.

Calirhoe, involucrata. Campanula, carpathica, rotundifolia.

Cerastium.

Cheiranthus.
Claytonia, Virg.
Convalleria, majalis.
Crucianella, stylosa.

Cypripedium, all var. Dianthus, all var. Dicentra, cucularia. Dielytra, exemia.

Dodecatheon.

Dodecatneo... Epigea, repens. Thronium, Americana.

Erythronium, Ame Eryngium, alpina. Ferns, all var.

Festuce, alpina, glauca. Gaultheria, procumbens. glauca.

Gentiana, andrewsie. Geranium maculatum.

Geums.

Gysophilla, repens. Habenaria, fimbriata. Helianthemum, mutabile. Hepatica.

Heuchera.

Houstonia. christata and pumilla. Iris.

Liatris.

Lysimachia. Lychnis, alpina, haageana. viscaria.

Mertensia.
Mertensia.
Tabella, repens.

Mitella, diphylla. Myosotis, palustris. Nepata, mussini.

Oenothera missouriensis. Papaver, alpina and nudi-

caule.

Penstemon, pubesence. Phlox, amoena canadensis.

suulata, pilosa.

Platycodon, mariesse. Plumbago, larpentea. Primula, all var. Polygonatum, biflorum. Pyrola, elliptica.

Ranunculus, repens. Sanguinaria, canadensis.

Saponaria, ocymoides. Saxifraga, all var.

all var.

Scuttelaria. Sedum, all var. Sempervivum, a Silene, schafta. Sissyrinchium. Thymus, all var. Tiarella, all var.

Trillium. Thalictrum, adiantifolia.

Trolleus, europea Tunica saxifraga. europea.

Uvularia. Viola, all var.

Rock Wall Plants

Plants useful for crevices of terraces and flagstone walks.

Arabis alpina Arenaria. Armeria laucheana. Aubretia. Campanula rotundifolia. Calamintha alpina. Cherianthus Allioni. Dianthus deltoides. Gypsophylla repens. Houstonia. Mazus reptans. Mitchella repens.

Papaver alpina. Phlox amoena. Phlox subulata subulata. Potentilla. Sedum acre. Silene alpestris. Spergula pillifera. Thymus. Tunica. Veronica rupestris, all var. Ferns, polipodium, Walking leaf, Winged Wood, and Woodsia Illvensis.

Native Plants for Woodland Plantings

alba and rubra. Actea. Anemone, Pennsylvanica. Jack-in-the-Pul-Arisaema, pit. Cimicifuga. Cypripedium, acaule.
—pubesence, spectabilis.
—for moist places.

Dicentra, cucularia. Dielytra, exemia. Dodecatheon media. Epigea, repens. Erythronium, americana. Gaultheria. Gentian andrewsie.

Rock Garden Plants Wild and Perennial Plants

Again we are offering a wide assortment of Northern grown hardy perennials, rock garden and wild plants.

During the last few seasons we have experienced a steady increase in the demand for wild or native plants. We believe this demand will continue to increase and that the dealer in perennials who will push the sale of these plants will be well repaid for his effort. We are in touch with collectors all over the U.S. and are constantly adding new varieties of hardy native plants to our list.

Landscapers Attention: Many of the varieties we list can be supplied in heavy clumps for immediate effect at double the price of two year plants.

The following index indicates adaptability of plants:

R-for rock gardens; RS-for shaded rock garden; Bfor bogs; W-for wall gardens.

L-O stock are seedlings or divisions and are available in season.

Less than 5 plants of one variety will be charged for at double the 10 rate.

| 1 | $\frac{2}{10}$ | Year 100 | | Year 100 | L.O. 100 |
|--|-------------------|--|--------|-------------|-------------|
| ACHILLEA, boule-de-niege, white. \$0.7 | 70 | \$5.00 | \$0.50 | \$3.00 | \$1.00 |
| —mil. Cerise Queen | | | 1.00 | 8.00 | |
| —Ptarmica, the pearl | 70 40 | $\begin{array}{c} 5.00 \\ 8.00 \end{array}$ | .50 | 3.00 | 1.00 |
| ACONITUM—Spark's dark blue . 1.5 | 5 A | 12.00 | | | |
| -Wilson 1.5 | | $\frac{12.00}{12.00}$ | | | |
| ACORUS CALAMUS—Sweet | | 2-400 | | | |
| Flag, R | 70 | 5.00 | .50 | 3.00 | |
| ACTEA—white, RB 1.5 | | 12.00 | | | |
| —Rubra, RB 2.0 | 00 | 15.00 | | | |
| AJUGA—Reptans 1.5 | 50 | 12.00 | | | |
| ALLIUM—nuttali, R | | = 00 | | | |
| —thibethica, lilac, R | 70 | 5.00 | | | |
| ALLYSUM SAXATILE—Compacta, R 1. | 9 A | | | | |
| ANCHUSA—Blue 1.: | | | | | |
| ANEMONE—Pennsylvanica 1. | | 9 00 | | | |
| — patens, lavender, R 1 | 50 | $\begin{array}{c} 8.00 \\ 12.00 \end{array}$ | | | |
| —pulsavilla, lilac. R | 00 | 8.00 | | | |
| pulsatilla, rubra, R 1.0 | 00 | 8.00 | | | |
| —St. Brigid's, hybrids, R 1. | | 10.00 | | | |
| | 70 | 5.00 | | | |
| AQUILEGIA —alpina Superba, R 1.—Canadensis, red and yellow 1. | 00 | $8.00 \\ 8.00$ | .50 | 3.00 | |
| —chrysantha, gold and yellow. 1. | - | 8.00 | | | |
| —crimson star, new 1. | $\tilde{50}$ | 12.00 | | | |
| | 50 | 0.00 | 1.00 | 8.00 | |
| | $\frac{00}{20}$ | 8.00 | .70 | 5.00 | |
| -Rocky Mountain, blue and | 20 | | | | |
| white 1. | 50 | | | | |
| | 20 | | | | |
| | 80 | | | | |
| | 20 | | | | |
| • | 80 | | .60 | 4.00 | |
| | 80 | | | | |
| | $\frac{20}{20}$ | | CO | 4.00 | |
| | $\frac{.00}{.50}$ | 7 1 1 | .60 | 4.00 | |
| | 00 | | .70 | 5.00 | |
| —silver king, R 1. | 00 | 8.00 | .70 | 5.00 | |
| | | | | | |

| 100. | | | | |
|--|---|-----------|-----------|----------|
| | 2 Year 10 1 00 | 1 7 10 | Tear L. (| O. 00 |
| ARCTOSTAPHYLOS —uva ursi, R. clumps, balled and burlapped | 3.50 25.00 | | | |
| | | | | |
| ASARUM—can. wild ginger, R —shuttleworth, mottled, R | 1.00 8.00 1.20 | | | |
| ASCLEPIAS—tuberosa, orange, R. | | .70 | 5.00 | |
| ASPERULA—odorata, RS | 1.50 | •10 | 9.00 | |
| ASTER—alpina, blue, R | .80 6.00 | | | |
| —alpina, white, R | .80 | .50 | 3.00 | |
| —alpina, purple, R | .80 | | | |
| —nova anglia, purple violet —blue, tall | $\begin{array}{ccc} 1.00 & 8.00 \\ 1.00 & 8.00 \end{array}$ | | | |
| lutea, tall | 1.00 8.00 | | | |
| —purple, tall | 1.00 8.00 | | | |
| AUBRETIA—hybrids, R | 1.00 | | | |
| —Whitewell Gem | 1.50 | | | |
| BAPTISIA—australis | 1.00 8.00 | | | |
| BELLIUM—belledoides, R | 1.50 | 7.0 | F 00 | |
| CALTHA—palustris, yellow, B | 1.00 8.00 | .70 | 5.00 | |
| CALAMINTHA—alpina, blue, R CAMPANULA—ealycanthemum, | 1.00 8.00 | | | |
| blue | .80 6.00 | | | |
| —calycanthenium, white | .80 - 6.00 | | | |
| —carpatica, blue, R | $egin{array}{cccc} 1.00 & 8.00 \ 1.00 & 8.00 \ \end{array}$ | | | |
| —isophylla, blue, R | $\frac{1.00}{1.20}$ | | | |
| —isophylla, white, R | 1.20 10.00 | | | |
| —medium, blue or white | $\frac{.80}{1.00}$ $\frac{6.00}{0.00}$ | | | |
| —medium, pink | $\frac{1.00}{1.00}$ 8.00 | | | |
| —rotundifolia, R | | | | |
| —turbinata, blue or white | 1.20 | | 0 | |
| CERASTIUM—tomentosum, R | .70 5.00 | .50 | 3.00 | |
| CHELONE—barbata, cocc., red | | | | |
| —glabra, turtlehead, white, B | 1.50 | | | |
| CHRYSANTHEMUM—shasta daisy, | .80 6.00 | .50 | 3.00 | |
| Alaska | | .70 | 5.00 | |
| —pink cushion, R | | | | |
| CIMICIFUGA—racemosa, R | 1.20 10.00 | | | |
| CLAYTONIA—virginica, R | | | | |
| CONVALLARIA—majalis, R | 1.00 8.00 | - ^ | | |
| COREOPSIS—double sunburst —lanceolata grandiflora | .80 6.00 | .70 | 5.00 | |
| CYPRIPEDIUM—acaule, purple, pe | | | | |
| bud burden par pie, pe | | | | |
| —pubescens, yellow, per bud | 1.20 10.00 | | | |
| —spectabilis, pink, per bud —parvifolia, small, yellow | $\begin{array}{cccc} 1.50 & 12.00 \\ 1.00 & 8.00 \end{array}$ | | | |
| DELPHENIUM— | 1.00 8.00 | | | |
| belladonna, light blue | 1.00 8.00 | .70 | 5.00 | |
| bellamosa, dark blue | 1.00 8.00 | | | |
| —Blackmore & Langdon | $egin{array}{cccc} 1.00 & 8.00 \ 1.20 & 10.00 \ \end{array}$ | 70 | 5.00 | |
| —Dieners dreams of beauty —English hybrids | | .70 | 0.00 | |
| —Wrexham hybrids | 1.20 10.00 | .70 | 5.00 | |
| —chinensis grandiflora, blue, R. | 1.00 | .70 | 5.00 | |
| —chinensis grandi, white, R —white butterfly, R | $\begin{array}{ccc} 1.00 & 8.00 \\ 1.20 & \end{array}$ | .70 | 5.00 | |
| —bi-color dwarf, blue and vio- | | | | |
| let,, 2—4 in., R | 1.50 | | | |
| —tracorne, awart, blue | 1.20 10.00 | | | |
| DIANTHUS—caesseus | $\begin{array}{ccc} 1.00 & 8.00 \\ .80 & 6.00 \end{array}$ | | | |
| —deltoides, R | | .70 | 5.00 | |
| —mammoth, double, mixed | | | | |
| —plumarius, double, mixed | .80 6.00 | .50 | 3.00 | |
| —plumarius, single —plumarius, single and double. | | .50 | 3.00 | |
| mixed | .80 - 6.00 | | | |
| DICENTRA—cucularia, RS | .70 5.00 | .50 | 3.00 | |
| DIELYTRA —exemia, R | | 1.00 | 8.00 | |
| spectabilis | 3.50 25.00 | | | |
| | | | | |

| 16 Ternuale Nursery | I SHO V | 113 | - Indicas | · | | |
|--|--|-----------------|---|------|--------------|-------------|
| | | ٠. | *** | -4 * | X7 | т О |
| | | 10^{2} | Year 100 | 10 | Year 100 | L.O. 100 |
| DIGITALIS—lutea, yellow | | 00 | 100 | 10 | 100 | 100 |
| —purpurea | | 00 | | | | |
| —Shirley hybrids | | 00 | 8.00 | | | |
| DODECATHEON-media, R | | 00 | 8.00 | | | |
| EPIGEA—repens, clumps | | 00 | 25.00 | | 10.00 | |
| ERYTHRONIUM—Americana, F | | 70 | 5.00 | .50 | 3.0 0 | |
| EUPATORIUM— coelestris EUPHORBIA—cyparissus, R | · · · · · · · | $\frac{00}{50}$ | | | | |
| —polychroma, yellow, R | | 50 | | | | |
| FESTUCE—alpina grass, green, | R. 1. | 50 | 12.00 | | | |
| —dwarf ribbon grass, R | | 70 | 5.00 | .50 | 3.00 | |
| —tall ribbon grass | | 70 | 5.00 | .50 | 3.00 | |
| FUNKIA—coerulea, R —subcordata grandiflora, R. | | $\frac{20}{20}$ | $10.00 \\ 10.00$ | | | |
| -variegated, R | | 20 | 10.00 | • | | |
| GAILLARDIA—burgundy, wine | | 80 | | | | |
| -Kelways exhibition | | 80 | 6.00 | F 0 | 0.00 | |
| —Standholder | • • • • | 80 | $\begin{array}{c} 6.00 \\ 6.00 \end{array}$ | .50 | 3.00 3.00 | |
| —The King | | 50 | 0.00 | .50 | 3.00 | |
| GAULTHERIA—procumbens, R | | 20 | 10.00 | | | |
| GENTIAN—andrewsie | 1. | 00 | 8.00 | | | |
| GEUM-Lady Stratheden, R | | .20 | 10.00 | | | |
| —Mrs. Bradshaw, red, R —Orange Queen, R | | $\frac{20}{20}$ | $10.00 \\ 10.00$ | | | |
| GYPHSOPHYLLA—grafted, don | | .50 | 30.00 | | | |
| —January grafts, spring only | ly | •00 | 50.00 | 2.00 | 15.00 | |
| —pan., large | 1. | .00 | 8.00 | .60 | 4.00 | 3.00 |
| -repens, R., white and pink | · · · 1. | 00 | | .70 | 5.00 | |
| —double, snow white HABENARIA —cilarius, RB | 9 | 50 | | .70 | 5.00 | |
| —fimbriata, lavender, RB | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 | | | | |
| HELIANTHEMUM—mutabile. T | 3 | 80 | 6.00 | | | |
| HELIANTHUS—Augustifolia | | 80 | 6.00 | .50 | 3.00 | |
| HELIOPSIS—pitcheriana, doubl | | | | .50 | 3.00 | |
| HEPATICA —acutiloba, R —triloba, R | | 90 | 7.00 | .90 | 7.00 | |
| —triloba, R. HEMOROCALIS—Dr. Regal, 1 | | .70 | 5.00 | .50 | 3.00 | |
| orange yellow | rien 1 | 00 | | | | |
| —dumorti, rich cadmium vel | low 1 | 00 | | | | |
| -flava, clear yellow | 1. | 00 | 8.00 | | | |
| —gold dust, bronze —thunbergii, yellow | 1. | $\frac{20}{00}$ | 10.00 | | | |
| —mixed | 1. | 00 | 8.00 | | | |
| HESPERIS—matronalis, purple | | .70 | 5.00 | .50 | 3.00 | |
| —matronalis, white | | 70 | 5.00 | •00 | 0.00 | |
| —nana candidissima, dw. wh | rite. | | | = 0 | F 0.0 | |
| R | • • • • | 0.0 | | .70 | 5.00 | |
| HEUCHERA—Americana, R. —brizoides, R | 1 | 20 | $10.00 \\ 12.00$ | | | |
| -rosamond, pink | 1. | .20 | 10.00 | | | |
| —Sanguinea, R | 1. | 2.0 | 10.00 | | | |
| -splendens, R | 1. | .20 | | | | |
| HIBISCUS—pink, red or white —mixed | • • • • | 20 | 10.00 | .80 | 6.00 | |
| HOLLYHOCKS—double mixed | | 40 | 10.00 | .80 | 6.00 | |
| -single, mixed | | | | .80 | 6.00 | |
| HOUSTONIA—Quaker Ladv. | fine | | | *** | 0.00 | |
| ior rocks | 1. | .20 | 10.00 | | | |
| HYPOXIS—hirsuta, yellow s | star | 0.0 | | | | |
| grass | | .20 | 10.00 | | | |
| IBERIS—sempervirens, R INCARVILLEA—delawaya, R. | 1. | $\frac{00}{50}$ | $10.00 \\ 12.00$ | 1.00 | 8.00 | |
| INULA—ensifolia, yellow | | .80 | 6.00 | T.00 | 0.00 | |
| IRIS—arenaria, dwarf, yellow, | B. 2. | 50 | 20.00 | | | |
| —cristata, dwarf, blue, R. —pumilla, dwarf, purple, R. | 1. | 00. | 8.00 | | | |
| —pumina, dwarf, purple, R. —Verna, dwarf, violet blue | and | 00 | 8.00 | | | |
| gold, R | 1. | 00 | | | | |
| —tall, mixed | | 50 | 3.00 | | | |
| —tall, better varieties, mixed | 1 1. | 00 | 8.00 | | | |
| —siberica, blue | 1 | 20 | $\frac{3.00}{10.00}$ | | | |
| | | . 20 | 10.00 | | | |

| 1937 Fernuale Nuisely—Askov, minnes | ota | | |
|--|------|------------|--------------|
| 2 Year 10 100 | | ear 100 | L. O. 100 |
| LEONTOPODIUM—alpina 1.20 10.00 | 10 | 100 | 100 |
| LAVENDULA—Vera 1.50 | | | |
| LEPACHYS—70 5.00 | | | |
| LEWISIA—rediviva, Montana bit- terroot, R 1.50 12.00 | | | |
| LIATRIS—Pycnostachia80 6.00 | .40 | 2.00 | 1.00 |
| —scariosa60 4.00 | .40 | 2.00 | 1.00 |
| LILIUM —Canadensis 1.20 10.00 — elegans, reddish orange 1.50 12.00 | | | |
| —philadelphicum $\dots 1.20$ 10.00 | | | |
| —phillipenense formosa 1.20 —regale 1.50 12.00 | .80 | 6.00 | |
| —superbum 1.20 10.00 | | | |
| —tenuifolium 2.00 15.00 —tigrinum, single80 6.00 | .60 | 4.00 | |
| —tigrinum, double 1.00 8.00 | .80 | 5.00 | |
| —umbulatum 1.50 12.00 LINARIA—alpina 1.20 10.00 | | | |
| LINNEA—borealis, twin flower. 1.50 12.00 | | | |
| LINUM —perene, blue | | | |
| —perene, white | | | |
| —syphilitica, blue 1.00 | | | |
| LUPINUS—mixed colors only80 6.00 | | | |
| LYCHNIS—haageana, red80 6.00 —viscaria spl. brilliant80 6.00 | | | |
| LYTHRUM—salicara roseum80 6.00 | | | |
| LYSIMACHIA—nummelaria, Creeping Jenny, R | .60 | 4.00 | 2.00 |
| ing Jenny, R | .00 | 4.00 | 2.00 |
| MERTENSIA—Virginica, R., No. 1 | | | |
| size, per $10\overline{0}0$ \$45.0080 6.00 —virginica, R., jumbo size 1.20 10.00 | | | |
| —virginica, R., No. 2 size50 3.00 | | | |
| MITCHELLA —repens, R 1.50 12.00 MITELLA —diphylla, R 1.20 10.00 | 1.00 | 8.00 | |
| MONARDA —didyma, R 1.00 8.00 | | | |
| MYOSOTIS —scorpoides70 5.00 —pink beauty70 5.00 | | | |
| NEPATA—mussini lavendar, R 70 5.00 | | | |
| NUPHAR—advena, yellow pond lily 2.50 20.00 | | | |
| NYMPHEA—odorata, white water | | | |
| hily 3.00 25.00 OREGANUM —vulgaris, R 1.20 10.00 | | | |
| OREGANUM—vulgaris, R 1.20 10.00 PACHYSANDRA—terminalis 1.00 8.00 | | | |
| PAPAVER—alpina, mixed, R80 6.00 | | | |
| —orientalis, scarlet king 1.00 8.00 —orientalis, Victoria Louise, | | | |
| pink 1.20 —nudicaule, Fakenham hybrids 1.20 10.00 | | | |
| —nudicaule, Gartref strain, R. 1.20 10.00 | | | |
| —nudicaule, Sanford strain, R. 1.20 10.00 PEONIES —pink, red and white 1.50 12.00 | | | |
| PHLOX—decustata, hardy phlox | | | |
| —bridesmaid, white, crimson eye 1.20 10.00 —B. Compte, amarinth 1.20 10.00 | | | |
| —colonial, orchid lilac 1.00 8.00 | | | |
| —coquelot, orange scarlet 1.20 10.00 —eclaireur, pink 1.20 10.00 | | | |
| —Lord Raleigh, deep mauve 1.20 10.00 | | | |
| —Joan of Arc, white 1.20 10.00 —Miss Lingaard, white 1.20 10.00 | | | |
| —Mrs. Jenkins, white 1.20 10.00 | | | |
| —Rhinelander, salmon pink 1.20 10.00 —Rynstrom, rose pink 1.20 10.00 | | | |
| —R. P. Struthers, rose 1.20 10.00 | | | |
| —Thor, salmon pink | | | |
| PHLOX —amoena, pink, WR 1.20 10.00 | | | |
| —divaricata canadense, R 1.00 8.00 —douglasie, white, 1—2 in., R. 1.50 12.00 | | | |
| —ovata carolina, pink, R 1.50 12.00 | | | |
| —pilosa, pink, R 1.20 | | | |
| | | | |

| Termuno rumiyor, | 102201, | | | | |
|---|--|---|------------|---------------|--------------|
| | 2 1(| Year 100 | | Year 100 | L.O. 100 |
| PHLOX—subulata, R. —attropurpurea, carmine red, —autumn rose, rose color. —blue hills | 1.20 1.20 | $10.00 \\ 10.00$ | | | |
| —fairy, pale blue | .80 $$.1.20 | $\begin{array}{cccc} 6.00 \\ 6.00 \\ 10.00 \end{array}$ | .50 | 3.00 | 2.00 |
| PHYSALIS—franchetti | 80 , R .80 | $\begin{array}{ccc} 6.00 \\ 6.00 \end{array}$ | .50 | 3.00 | |
| —vivid | R 1.00 | 8.00 10.00 | .70 | 5 .0 0 | |
| POLYGONATUM—biflorum PLATYCODON—gr. blue or wl PRIMULA—Auricula, R —polyantha gr. mixed, R —veris eliator, mixed, R —veris kleynii, yellow, R PYRETHRUM—roseum, alba, | 1.20 hite .80 1.00 1.00 | $egin{array}{cccc} 6.00 \\ 0 & 8.00 \\ 0 & 8.00 \\ 0 & 8.00 \\ \end{array}$ | .50 | 3.00 | |
| white —carneum flesh —dark red —single mixed —double mixed | 80 | 6.00 6.00 | | | |
| —rose pink —uligunosum, white PYROLA—elliptica, R. PULMONARIA—sachata, R. RANUNCULUS—acris, yellow | $\frac{1.00}{}$ | 8.00 0 6.00 0 8.00 | .50 | 3 .0 0 | |
| double | $\begin{array}{ccc} \dots & .70 \\ \dots & .70 \\ e, & 6 \end{array}$ | 5.00 | .50 .50 | 3.00 3.00 | |
| to 8 in | $\begin{array}{ccc} \dots & 1.00 \\ \dots & .70 \\ \dots & 1.00 \end{array}$ | $\begin{array}{ccc} 0 & 8.00 \\ 0 & 5.00 \end{array}$ | .60 | 4.00 | |
| (bloodroot) per 1000, \$3 SARACENA—purpurea, pitcher plant | $35 \dots .76$ | 0 10.00 | .50 | 3.00 | |
| SAPONARIA—ocymoides SAXIFRAGA—cordifolia —decepiens, R SCUTELARIA—integrifolia, R. SEDUM—stonecrop, R. | $\begin{array}{cccc} 1.50 \\ \dots & 1.00 \\ \dots & 1.20 \end{array}$ | 000000000000000000000000000000000000000 | ~ 0 | | 4 50 |
| —acre | $egin{array}{ccc} & & \ 1.0 \ & 1.0 \ & 1.0 \ \end{array}$ | $egin{matrix} 5.00 \\ 0 & 8.00 \\ 0 \\ 0 \\ \end{array}$ | .50 .50 | 3.00 3.00 | 1.50 1.50 |
| —aizoon, bright yellow —asiaticus | $egin{array}{cccc} & & \ 1.0 \ & 1.5 \ \end{array}$ | $egin{array}{ccc} 0 & 5.00 \ 0 & 8.00 \ 0 & 8.00 \ \end{array}$ | .50 | 3.00 | 1.50 |
| —dasyphyllum —divergens —ellacombianum | 1.0 | 0 8.00 | 5.0 | 2.00 | 1 50 |
| —eversie, rose color —guatamaliensis, not har very attractive for bor or rock gardens | rdy, rder | | .50 | 3.00 | 1.50 |
| —ibericum, pink and white —kamtchaticum, variegated —lydium, gray-green foli prostrate —obtusatum | | $egin{array}{ccc} 0 & 5.00 \\ 0 & 6.00 \\ 0 & 8.00 \\ \end{array}$ | .50 | 3.00 | |
| —oppositifolia evergree —rupestre, trailing, golden low | 1.2 en7 yel- | $\begin{array}{ccc} 0 & 10.00 \\ 0 & 5.00 \end{array}$ | .50 | 3.00 | |
| —rupestre spirale | 1.0 rder .7 | $\begin{array}{ccc} 0 & 8.00 \\ 0 & 5.00 \end{array}$ | .50 .50 | 3.00 3.00 | |

| 1937 Fernd | ale Nursery- | -Askov, | Minnes | ota_ | | 21 |
|--|----------------|---|---|---|---------------------|--------------|
| | | 10 | Year 100 | 1 Y 10 | ear 100 | L. O. 100 |
| —sieboldie, glauc —spathulatum pyellow | ourpurea, da | ırk | 10.00 12.00 | | | |
| —stahli, compact | t, crimson . | 70 | $\begin{array}{c} 5.00 \\ 5.00 \end{array}$ | $.50 \\ .50$ | $\frac{3.00}{3.00}$ | |
| —spectabilis, ros —spectabilis var | iegated | 80 | 6.00 | •90 | 5.00 | |
| —stenopetalum —stolonifera, pi | nk | $ \begin{array}{ccc} & 1.20 \\ & 1.00 \end{array} $ | | | | |
| —spurrium, rosy —telephoides | | | $\begin{array}{c} 5.00 \\ 5.00 \end{array}$ | .50 | $\frac{3.00}{3.00}$ | |
| —ternatum, best SEMPERVIVUM—F | for shade | | | | | |
| —Alberti | | | 8.00 | | | |
| —arachnoideum, —brauni, dark s | green | 1.00 | $\begin{array}{c} 5.00 \\ 8.00 \end{array}$ | | | |
| —doleanum, sma —fauconnette, fi | | | 10.00 | | * | |
| anum —funcki, browni | | 1.20 | $\begin{array}{c} 10.00 \\ 8.00 \end{array}$ | | | |
| —globiferum, gr | ay-green | 1.00 | 8.00° | 5.0 | 3.00 | |
| —tectorum, hou —trieste | | 1.00 | $\begin{array}{c} 5.00 \\ 8.00 \end{array}$ | .50 | 3.00 | |
| SILENE—schafta, —virginica, R | | \dots 1.20 | $\begin{array}{c} 10.00 \\ 10.00 \end{array}$ | | | |
| SMILACENA—racel SISSYRINCHIUM— | mosa, R | 1.00 | 8.00 | | | |
| R —yellow star gr | | 1.20 | | | | |
| SPIREA—filapendu | la, cream wh | ite $.80$ | | .60 | 4.00 | |
| —ulmaria, green —ulmaria varieg | ated | | | | | |
| THYMUS—common thyme. R | cooking | | 5.00 | | | |
| —lanugunosum, —serphyllum alb | R | | 5.00 | .50 .50 | 3.00 3.00 | |
| —coccineum, R. | | | 5.00 | .50 | 3.00 | |
| —splendens, pink TIARELLA—cord. | foam flower, | R. 1.20 | 10.00 | .50 | 3.00 | |
| TRADESCANTIA— THALICTRUM—ad | iontifolium | 1.20 | 10.00 | | | |
| —aquilegiafolia —glaucum, Chin | ese vellow . | 1.00 1.20 | $\begin{array}{c} 8.00 \\ 10.00 \end{array}$ | | | |
| TRILLIUM—wake | robin | | | | | |
| —erectum —grandiflora (pe —grandiflora, ju | er 1000, \$30) | 60 | 4.00 | | | |
| —stylosa, red . | | \dots 1.20 | 10.00 | | | |
| TROLLEUS—Euroj —ledibouri, oran | ge yellow, R. | 1.50 | • | | | |
| TRITOMA—red, R. TUNICA—saxifrag. | a, white, R. | 1.00 | | | | |
| —saxifraga, rose UVULARIA—perfo | e pink, R | 1.00 | 8.00 | | | |
| VERBENA—venosa | a, purple, cre | ep- | | .60 | 4.00 | |
| —venosa, purple | , upright | 1.00 | 8.00 | | | |
| —venosa, creepi VERONICA—borde | r or rock, R | | | .60 | 4.00 | |
| —flexulosa pros —longifolia sub | sessilis | 1.70 | | | | |
| —pectinata, cree —rupestris, brig | | | | | | |
| —rupestris, hea —rupestris, true | venly blue . | 1.00 |) | | | |
| —repens, white | | 1.00 |) | | | |
| VINCA—minor, cre VIOLET—blanda, | white, sweet, | R. 1.00 | | | | |
| —cuculata, blue —canadense | | | | .50 | 3.00 | |
| —missouriensis —odorata, swee | | 1.00 | 8.00 | .70 | 5.00 | |
| —pedata, birdsfe —pedata bi-colo | oot, blue | | 5.00 | | 3.00 | |
| —pubescens, yel | low | 1.20 | 0.10.00 | | | |
| —rosina, rose (—saggita <u>ta</u> | | 1.50 | | | | |
| VIOLA—cornuta, —cornuta, blue | | | | $\begin{array}{c} .50 \\ .50 \end{array}$ | 3.00 | |
| 001111111111111111111111111111111111111 | | | | | | |

| 22 Ferndale Naisery—Askov, Minnesso | | | | | |
|--|--|--|--|--|--|
| 2 Year 10 100 | 1 Year 10 100 | L.O. 100 | | | |
| —Jersey gem, original stock, pots | .50 3.00 .50 3.00 | | | | |
| VIOLA—tricolor, pansy —pedigreed novelties —super maple leaf —Swiss Giants, mixed —Swiss Giants, blue or white YUCCA—filamentosa, large clumps 1.20 10.00 | .30 2.50 .30 2.50 .30 2.50 .30 2.50 .80 6.00 | 1.50 | | | |
| Tree Seeds | 0.00 | | | | |
| Orders must be in early, and prices are no | t binding. | sub- | | | |
| ject to change without notice. | Oz. | Lb. | | | |
| ABIES—balsamea | .50 .35 .35 | \$4.00 3.00 | | | |
| JUNPIER—scopolorum, Montana seed, fall 1937 | .25 | 1.50 1.00 | | | |
| PICEA—canad. alba. white spruce, Wis. —Albertiana, Black Hill —excelsa —pungens, from select blue trees | .40 .35 .75 .40 1.00 | 3.50 2.00 8.50 2.50 12.00 | | | |
| PINUS—banksiana —montana mughu, dwarf —nigra austriaca —ponderosa —resinosa, fall 1937 —sylvestris | .50 .55 .35 .35 .75 | 4.00 5.00 3.00 3.00 10.00 4.50 | | | |
| PSEUDO-TSUGA—douglas fir THUYA—occidentalis ULMUS—pumilla, chinese elm Chinese elm will be available about July 5th. Must be ordered in March. | .75 .40 .35 | 3.00 | | | |
| Roses | | | | | |
| HANSA—red HANSA—heavy for landscapers SIR THOS. LIPTON—white, extra large | 3.50 | 100 \$15.00 | | | |
| Raspberries | | | | | |
| CHIEF-No. 1, per 1000 | | .\$18.00 | | | |
| Rhubarb | | | | | |
| McDONALD—red, new, divisions, per 10 STRAWBERRY—2—3 eye divisions, per 10 —per 100 | | . 1.00 | | | |
| CHINESE ELM SEEDLINGS | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 1000 \$3.00 5.00 8.00 12.00 16.00 | $10,000 \\ \$25.00 \\ 45.00 \\ 70.00$ | | | |

Deciduous Trees

| Deciauous Trees | |
|-----------------------------|--------|
| each | 10 |
| ASH—green | |
| 5—6 ft\$0.25 | \$2.00 |
| 6—8 ft | 3,00 |
| ELMAmerican | |
| 6—8 ft, | 3.00 |
| 8—10 ft | 5.00 |
| 1 ¾—2 in. cal | 6.50 |
| $2 -2 \frac{1}{2}$ in. cal | 9.00 |
| $2\frac{1}{2}$ —3 in. cal | 10.50 |
| ELM—Chinese | |
| 3—4 ft | . 2.00 |
| 4—5 ft | 2.50 |
| 5—6 ft | 3.50 |
| MAPLE—Soft | |
| $1 \frac{3}{4}$ —2 in. cal | 6.50 |
| 2 $-2\frac{1}{2}$ in. cal | 9.00 |
| 2 ½—3 in. eal 1.25 | 10.50 |

Shrubbery

Heavy transplanted stock suitable for landscape work. Orders for less than 10 plants of one variety will be filled at 5c per plant above 10 rate.

| | 10 |
|--|---------------------|
| BARBERRY—Japanese 18—24 in. | \$1.50 |
| —Japanese 2—3 ft. | 2.00 |
| CARAGANA—Arborescens 18—24 in. | 1.50 |
| CORALBERRY—red18—24 in. | 1.50 |
| —red24—36 in. | 2.00 |
| —white | 1.50 |
| —white 24—36 in. | 2.00 |
| DOGWOOD—redbark 2—3 ft. | 2.00 |
| —redbark 3—4 ft. | 2.50 |
| —redbark 4—5 ft. | 3.00 |
| ELDER—golden 3—4 ft. | 2.00 |
| —golden 4—5 ft. | 2.50 |
| HYDRANGEA—arborescens 18—24 in. | 2.00 |
| HYDRANGEA —P. G | 2.00 |
| Mock Orange 2—3 ft. | 2.50 |
| LILAC—common, purple clumps 2—3 ft. | 1.60 |
| —common, purple clumps 34 ft. | 1.80 |
| —common, purple clumps 4—5 ft. | 2.10 |
| —common, white clumps 2—3 ft. | 1.80 |
| —common, white clumps 3—4 ft. | 2.10 |
| —common, white clumps 4—5 ft. | 2.50 |
| —French in varieties, 50c and 75c each as to size. | |
| LONICERA—pink 2—3 ft. | 2.50 |
| SPIREA—anthony waterer | 1.25 |
| —arguta, garland spirea | 1.25 |
| —billardi18—24 in. —bumaldi12—18 in. | $1.25 \\ 1.50$ |
| —calosa rubra12—18 in. | 1.50 |
| —douglassie 18—24 in. | 2.50 |
| —frobelli 18—24 in. | 1.50 |
| —integrafolia 18—24 in. | 1.50 |
| —thunbergie18—24 in. | 1.50 |
| —Van Houttie | 1.50 |
| —Van Houttie | $\frac{2.00}{1.50}$ |
| AMPELOPSIS—Engelman lvy, 2 yr. field | 1.00 |

After Five Days Return To FERND'ALE NURSERY ASKOV, MINNESOTA

Return Postage Guaranteed



leuman

SEC. 562 P. L. & R.

U. S. POSTAGE
P'AID

ASKOV, MINNESOTA PERMIT No. 1

U S Department of Agriculture Bureau of Plant Industry Washington D C